



Europäisches
Patentamt

European
Patent Office

Office Européen
des brevets

PCT/EP2004/000145
Rec'd PCT/PTO 22 JUL 2005

RECEIVED

16 MAR 2004

WIPO

PCT

Bescheinigung

Certificate

Attestation

Die angehefteten Unterla-
gen stimmen mit der
ursprünglich eingereichten
Fassung der auf dem näch-
sten Blatt bezeichneten
europäischen Patentanmel-
dung überein.

The attached documents
are exact copies of the
European patent application
described on the following
page, as originally filed.

Les documents fixés à
cette attestation sont
conformes à la version
initialement déposée de
la demande de brevet
européen spécifiée à la
page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

03075233.1

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a)-OR (b)

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

R C van Dijk



Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

FOI/EP2004/000145

Anmeldung Nr:
Application no.: 03075233.1
Demande no:

Anmeldetag:
Date of filing: 22.01.03
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

UNILEVER N.V.
Weena 455
3013 AL Rotterdam
PAYS-BAS

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se referer à la description.)

Oral Compositions

In Anspruch genommene Priorität(en) / Priority(ies) claimed /Priorité(s)
revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

A61K7/00

Am Anmeldetag benannte Vertragstaaten/Contracting states designated at date of
filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL
PT SE SI SK TR LI

Oral Composition

5 The invention provides an oral composition according to the preamble of claim 1.

10 WO 02/45676 (Hawe Neos) discloses a cleaning agent with an abrasive component for cleaning delicate surfaces especially teeth. This is preferably achieved through the use of components such as for example glass flakes. Such components remedy problems such as excessive scratching of teeth which is seen using alternative abrasives such as for example perlite.

15 EP 0528756 (Hawe Neos) discloses a dental care and cleaning composition which is substantially free from water. This composition comprises a finely divided rock which may be in the form of perlite and 1,2-propanediol and at least one
20 wetting agent for the rock particles. This requires finely divided rock that has been put through an expensive sieving technique to ensure that it is a uniform composition, and that they are small enough to effectively clean while not causing excessive abrasion.

25 US 5124143 (Muhlemann) discloses a dentrifice comprising silicic acid and perlite. This combination provides for unexpectedly high abrasiveness in order to allow for a paste with preventative dental hygiene properties for use by a
30 dental hygienist.

US 6355227 (Unilever) discloses an oral composition comprising 0.01 to 0.9% perlite w/w.

5 WO 99/31184 (Crosfield) discloses a liquid product
incorporating a material in the form of granules of high density inorganic particles co-agglomerated with particles having a density lower than water in order to tailor the density of the granules and in order to aid their buoyancy.

10 Despite the presence in the prior art of such oral compositions as outlined above, there is still a need for an oral composition which is capable of providing improved polishing while not increasing the abrasivity, or relative dental abrasion of such an oral composition.

15 It has been found that the provision of perlite and chalk together in an oral composition aids in the polishing of teeth. This combination increases the oral composition's ability to remove adherent soiling matter, to free
20 accessible plaque, to dislodge accessible debris and to remove superficial stain from the teeth which in turn leads to improved mouthfeel and teeth whitening benefits.

25 According to the present invention there is provided an oral composition comprising chalk characterised in that the oral composition comprises perlite.

30 Perlite comprises flat or relatively planar particles which, when ground consist of jagged-edged, eggshell-shaped fragments which are broken down during their use into smaller fragments.

The physical structure of the perlite means that when the perlite particles are subjected to pressure, for example by a toothbrush during brushing, their planar structure ensures that they will orientate themselves parallel to the surface
5 that is being worked on. This effect is enhanced with increasing pressure. The flat particles sliding between the surface and the deposits remove the latter with care and along a broad surface, thus reducing the abrasive effect.

10 Yet this effect is impeded by the creation of spandrels between single fused perlite which do not break down. As they are three-dimensional, the build up of such spandrels can lead to more scratching on the surfaces that they contact, and problematically these do not fall flat under
15 load. Hence this will increase the abrasivity of formulations incorporating such particles.

Surprisingly we have found that perlite can be added to an oral composition comprising chalk, and not increase the
20 compositions overall abrasivity. This is achieved through the interaction between the perlite and the chalk. In an oral composition the chalk binds to any jagged-edges of the perlite spandrels, and smoothens their edges. Consequently the addition of perlite to an oral composition comprising
25 chalk increases the polishing capabilities of that oral composition while not increasing its abrasivity.

Therefore the perlite particles in combination with the chalk particles in the oral composition are far less likely
30 to damage surfaces such as teeth and soft tissue that they contact in the oral cavity. Perlite particles in

combination with the chalk particles in the oral composition significantly enhance the cleaning potential of the oral composition so that in combination they provide for improved polishing without causing damage due to excessive abrasion.

5

The term oral composition is known in the art and encompasses a dentrifice, toothpaste, pastille, gum, lozenge, mouthwash and others.

- 10 The perlite in the oral composition according to the invention may be any perlite or mixtures of perlite commonly known in the art. It can be crude or non-expanded perlite. Preferably it is expanded perlite which has been quickly heated to above 871°C in order to allow for expansion and
15 then subsequently cooled.

The perlite preferably has an abrasion value of 125 to 150 using RDA, (J Dent Res 37: 1060-1068, 1958 or J Dent Res 55:563 to 573, 1976.). Preferably the perlite is E 50
20 perlite available from Worldminerals Italia srl., Alzaia Trento 6, 20094 Corsico, Milano, Italy.

The weight median particle diameter of the perlite can be from 10 μm to 50 μm . Preferably the weight median particle
25 diameter is from 20 μm to 45 μm . Most preferably the weight median particle diameter of the perlite is from 30 μm to 40 μm .

Preferably 90% by weight of the perlite has a particle
30 diameter less than 70 μm to 110 μm . Preferably 10% by

weight of the perlite has a particle diameter less than 7 μm to 10 μm . The particle size distribution of the perlite is determined using laser light scattering (Malvern 3600E, 300mm Lens).

5

According to another embodiment of the invention there is provided an oral composition whereby the perlite is 0.01% to 20% by weight of the oral composition.

10 The perlite may be 0.5% to 15% by weight of the oral composition. Preferably the perlite is 0.7% to 10% by weight of the oral composition. Most preferably the perlite is 1% to 5% by weight of the oral composition.

15 The perlite composition preferably contains SiO_2 70-75% w/w, Al_2O_3 10-15% w/w, Fe_2O_3 0.5-1% w/w, Na_2O 4-5% w/w, K_2O 7-9 % w/w, CaO 0.2-0.4% w/w, MgO 0.05-1.5% w/w, TiO_2 0.05-1.5% w/w.

20 Surprisingly the addition of chalk to an oral composition comprising perlite reduces the negative impact perlite can have on an oral composition. Perlite comprises a number of different metals which would ordinarily compromise the stability of some of the important ingredients in an oral composition. Ingredients such as sodium monofluorophosphate
25 which is the fluoride of choice with chalk pastes. Yet surprisingly the stability of the sodium monofluorophosphate is not compromised by the presence of the various metals in the perlite.

According to another embodiment of the invention there is provided an oral composition whereby the chalk is 5% to 60% by weight of the oral composition.

- 5 The chalk may be 15% to 55% by weight of the oral composition. Preferably the chalk is 20% to 50% by weight of the oral composition. Most preferably the chalk is 25% to 45% by weight of the oral composition.
- 10 Chalk comprises calcium carbonate, the calcium carbonate in an oral composition leaches carbonate ions. These carbonate ions in turn react with, and as a consequence, mop up metal ions leached from the perlite. Surprisingly this interaction reduces the negative impact the use of
- 15 relatively high levels of perlite has on an oral composition.

- Chalk is also chemically more reactive than alternative abrasives that can be used in oral compositions, such as
- 20 silica. Therefore these properties of chalk prevents the leached metal ions from exerting a negative effect on an oral composition comprising perlite and chalk.

- According to another embodiment of the invention there is
- 25 provided an oral composition whereby the chalk is fine ground natural chalk.

- Fine ground natural chalk can be obtained from naturally occurring limestone or marble deposits, which has formed
- 30 over a period of millions of years before being milled. The milling used may be ball milling followed by sieving

followed by a selection of those characteristics which are desired. Fine ground natural chalk may also be modified chemically or physically by coating during milling or after milling, by heat treatment. Typical coatings include

5 magnesium stearate or oleate. The morphology of the fine ground natural chalk may also be modified by the milling process by using different milling techniques, for example ball milling, air-classifier milling and spiral jet milling.

10 By fine ground natural chalk is meant chalk which is obtained by milling limestone or marble deposits and not chalk which has been synthetically precipitated.

Fine ground natural chalk is free from hard and soft clumps
15 of chalk which can interfere with the polishing effect of the perlite. Therefore fine ground natural chalk can smooth the jagged-edges of the perlite in a way that is unobtainable with other abrasives such as for example silica. Surprisingly the use of smaller particles results
20 in less interference with the perlite edges that have the beneficial polishing qualities.

Preferably the supplier of the chalk is Omya and the product is preferably 5AV. Specifically the product may be Omya 10
25 micron. Preferably 90% by weight of the chalk has a particle diameter less than 20 μm . Preferably 50% by weight of the perlite has a particle diameter less than 4 μm to 8 μm .

30 Alternatively the supplier of chalk is Wolkchem and the product is Addon 1015. Preferably 90% by weight of the

chalk has a particle diameter less than 20 μm . Preferably 50% by weight of the perlite has a particle diameter less than 4 μm to 8 μm . The BET surface area of the fine ground natural chalk may range from 0.5 to 3 m^2/g .

5

According to another embodiment of the invention there is provided an oral composition as claimed in any preceding claim whereby the pH of the oral composition is 8 to 14.

- 10 The pH of the oral composition may be 9 to 13. Preferably the pH of the oral composition may be 10 to 12. Most preferably the pH of the oral composition may be 11.

- 15 Increasing the pH in an oral composition comprising perlite reduces the leaching of metal ions from the perlite. This means that the negative impact that these ions can have on the oral composition such as reaction with sodium monofluorophosphate, colouration, etc. is reduced.

- 20 According to another embodiment of the invention there is provided an oral composition as claimed in any preceding claim, which has a relative dental abrasion of 140 to 170.

- 25 The relative dental abrasion may be 150 to 160. Preferably the relative dental abrasion is 152 to 158. Most preferably the relative dental abrasion is 155.

- 30 The abrasivity of a toothpaste is measured according to a protocol described in the Journal of Dental Research (1976) 55 (4), 563. This describes how the Relative Dental Abrasion (RDA) is evaluated.

According to another embodiment of the invention there is provided an oral composition as claimed in any preceding claim, which has a percentage polish of 60 to 95.

- 5 Preferably the percentage polish is 70 to 90. Most preferably the percentage polish is 75 to 85.

By percentage polish is meant the percentage polishing of each disk. The procedure whereby the percentage polishing
10 of each disk is calculated is discussed in the following paragraphs.

Tests to assess the polishing efficacy are known in the academic literature for example J.G. Masters, A Zaccagnino,
15 R. Heu and M. Stranick. *J Dent. Res.* 81 Spec Iss A Abs. 2152 (2002). The polishing test used is conducted on hydroxyapatite (HAP) discs. This material was selected as it has similar properties to enamel and is available in a suitable disc format. Prior to brushing with the test
20 toothpaste, the discs were pre-polished to a set gloss value using abrasive papers. The test assesses the polishing properties of the paste by measuring the gloss value of the HAP tile following brushing. Gloss measurements are taken using a Sheen Tri-microgloss meter set at 60deg/60deg
25 (incident/measured angle).

Four HAP discs were used per product tested and each tile was brushed on the WIRA brushing machine (Goodbrand Jeffrys Mark III abrasion tester), using Lissajous figures. A
30 weight of 375g was applied to each disc, brushing speed used was 150rpm, and a standard medium head toothbrush was used.

Gloss measurements were taken at 1000, 5000, 10,000 and 15,000 strokes. Four measurements were taken per tile at each time point, using a template so that the measurements were taken at the same point each time.

5

Toothpaste slurry was made up for each product tested as follows, with 1 part paste, 1 part distilled water (Millipore water) and 1 part SCMC diluent. Whereby the SCMC diluent contained 5% Glycerol, 0.5% SCMC 7m, 0.01% Formalin, and 94.49% Millipore water.

10

The slurry was mixed using the heidolph end over mixer for 30 minutes ensuring that all paste was thoroughly mixed before use in the study.

15

The percentage polishing for each disk was calculated by dividing the average gloss value for the disk after brushing by the average baseline gloss value for the same disk and multiplying by 100. This then results in the figures as detailed in Experiment 2 or the percentage polish. The results are detailed in Experiment 2 as polishing percentages per disk. Statistical analysis was done using Excel software, and showed significant differences using Student's t-test to $p < 0.05$.

20

25

According to another aspect of the invention there is provided the use of perlite in an oral composition as claimed in any preceding claim for polishing teeth.

30 The oral composition according to the invention comprise further ingredients which are common in the art, such as:

antimicrobial agents, e.g. Triclosan, chlorhexidine, copper-, zinc- and stannous salts such as zinc citrate, zinc sulphate, zinc glycinate, sodium zinc citrate and stannous pyrophosphate, sanguinarine extract, metronidazole, quaternary ammonium compounds, such as cetylpyridinium chloride; bis-guanides, such as chlorhexidine digluconate, hexetidine, octenidine, alexidine; and halogenated bisphenolic compounds, such as 2,2' methylenebis-(4-chloro-6-bromophenol);

anti-inflammatory agents such as ibuprofen, flurbiprofen, aspirin, indomethacin etc.;

anti-carries agents such as sodium- and stannous fluoride, aminefluorides, sodium monofluorophosphate, sodium trimeta phosphate and casein;

plaque buffers such as urea, calcium lactate, calcium glycerophosphate and strontium polyacrylates;

vitamins such as Vitamins A, C and E;

plant extracts;

desensitising agents, e.g. potassium citrate, potassium chloride, potassium tartrate, potassium bicarbonate, potassium oxalate, potassium nitrate and strontium salts;

anti-calculus agents, e.g. alkali-metal pyrophosphates, hypophosphite-containing polymers, organic phosphonates and phosphocitrates etc.;

5 biomolecules, e.g. bacteriocins, antibodies, enzymes, etc.;

flavours, e.g. peppermint and spearmint oils;

10 proteinaceous materials such as keratin and collagen;

preservatives;

opacifying agents;

15 colouring agents;

pH-adjusting agents;

20 sweetening agents;

pharmaceutically acceptable carriers, e.g. starch, sucrose, water or water/alcohol systems etc.;

25 surfactants, such as anionic, nonionic, cationic and zwitterionic or amphoteric surfactants;

30 particulate abrasive materials such as silicas, aluminas, dicalciumphosphates, dicalciumphosphate dihydrates, calcium pyrophosphates, hydroxyapatites, trimetaphosphates, insoluble hexametaphosphates and so on, including agglomerated particulate abrasive materials, usually in

- 13 -

amounts between 3 and 60% by weight of the oral care composition.

5 humectants such as glycerol, sorbitol, propyleneglycol, xylitol, lactitol etc, the sorbitol may be present at levels up to 50% by weight of the oral composition;

10 binders and thickeners such as sodium carboxymethyl-cellulose, xanthan gum, gum arabic etc. as well as synthetic polymers such as polyacrylates and carboxyvinyl polymers such as Carbopol®;

15 polymeric compounds which can enhance the delivery of active ingredients such as antimicrobial agents can also be included. Examples of such polymers are copolymers of polyvinylmethylether with maleic anhydride and other similar delivery enhancing polymers, e.g. those described in DE-A-3,942,643 (Colgate);

20 buffers and salts to buffer the pH and ionic strength of the oral care composition; and

25 other optional ingredients that may be included are e.g. bleaching agents such as peroxy compounds e.g. potassium peroxydiphosphate, effervescing systems such as sodium bicarbonate/citric acid systems, colour change systems, antioxidants for example alpha lipoic acid and so on.

30 Liposomes may also be used to improve delivery or stability of active ingredients.

The invention will now be detailed with reference to the following non- limiting experiments.

Experiment 1

5

The following oral composition is an example of the present invention.

<u>Ingredients</u>	<u>Percentage of Total Weight</u>
Chalk	40
Thickening Silica	3
SLS	2.6
Perlite	0.7
Sodium mono-fluoro phosphate	0.76
TiO ₂	0.5
Formalin	0.1
Flavour	1.1
Saccharine	0.23
Water	Up to 100

Experiment 2Relative Dental Abrasion (RDA)

Ingredients	RDA
Fine Ground Natural Chalk 40% of total weight	150
Fine ground natural chalk 40% of total weight plus perlite 0.7% of total weight	155

5

Polishing

Ingredients	Polishing Percentage per Disk
Fine Ground Natural Chalk 40% of total weight	49.5
Fine Ground natural chalk 40% of total weight plus perlite 0.7% of total weight	83.4

10 Fine ground natural chalk in an oral composition has a
specific relative dental abrasion. This is not
significantly increased when perlite is added to the fine
ground natural chalk. Yet the combination of fine ground
natural chalk and perlite provides for significantly
enhanced polishing. These results demonstrate that the
15 combination of fine ground natural chalk with perlite
provides for improved polishing while not increasing the
relative dental abrasion.

22 Oct 2003

Claims

(44)

1. An oral composition comprising chalk characterised in that the oral composition comprises perlite.
- 5 2. An oral composition as claimed in claim 1, whereby the perlite is 0.01% to 20% by weight of the oral composition.
- 10 3. An oral composition as claimed in any preceding claim, whereby the chalk is 5% to 60% by weight of the oral composition.
- 15 4. An oral composition as claimed in any preceding claim, whereby the chalk is fine ground natural chalk.
5. An oral composition as claimed in any preceding claim, whereby the pH of the oral composition is 8 to 14.
- 20 6. An oral composition as claimed in any preceding claim, which has a Relative Dental Abrasion of 140 to 170.
7. An oral composition as claimed in any preceding claim, which has a 'percentage polish' of 60 to 95.
- 25 8. Use of perlite in an oral composition as claimed in any preceding claim for polishing teeth.

Abstract

An oral composition comprising perlite characterised in that
5 the oral composition comprises chalk.